

**Elastic, padded softshell jacket**

Wind- and water-proof 3-layer functional fabric with TPU membrane (5,000 mm water column)
 Breathable (2,000 g/m²/24h)
 Detachable, padded hood with size adjustment at several points
 Full length covered front zip with chin protection
 Zip under the sleeves for additional ventilation
 2 zipped side pockets, small zipped sleeve pocket
 Zipped inner pocket, mobile phone pocket
 Adjustable snow protection, thumb loop
 Elastic cord with stopper on hem and hood
 Zip for decoration at the back
 JN1053: waisted form

Fabric: Outer fabric: 92% polyester, 8% elastane
 Lining: 100% polyester
 Padding: 100% polyester

Country of origin: China

Care instructions**Partner article**

Men's Wintersport Jacket
 Art-Nr.: JN1054

Available colours

	S	M	L	XL	XXL
Weight in g	931g	967g	1042g	1102g	1147g
VPE (pcs. per inner packaging / pcs. per outer packaging)	1/10	1/10	1/10	1/10	1/10
measurements in cm	S	M	L	XL	XXL
1/2 chest:	50,00 cm	54,00 cm	58,00 cm	62,00 cm	66,00 cm
1/2 waist width:	46,00 cm	50,00 cm	54,00 cm	58,00 cm	62,00 cm
1/2 bottom width:	51,00 cm	55,00 cm	59,00 cm	63,00 cm	67,00 cm
front length from shoulder:	68,00 cm	70,00 cm	72,00 cm	74,00 cm	76,00 cm
length back from shoulder:	71,00 cm	73,00 cm	75,00 cm	77,00 cm	79,00 cm
sleeve length:	63,00 cm	64,00 cm	65,00 cm	66,00 cm	67,00 cm

Available colours

black (blackC)
 navy (296C)

dark-orange (165C)
 red (200C)

green (361U)
 yellow (388C)



Softshell

Softshell with TPU membrane consists of three layers. Due to the microporous TPU membrane as middle layer the material is water-proof, wind-proof and breathable at the same time.



Breathable-Permeable to water vapour

Functional textiles must have the ability to transport moisture from the skin to the fabric surface as fast as possible. Permeability shows how much steam in grams can evaporate on a surface of 1 m² within 24 hours. The higher this figure, the more breathable the textile is.



Water column from 1.500 mm

The ability to withstand water pressure without moisture penetrating into the material is given by the water column (mm). The minimum standard is a water column of 1,500 mm.